

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

HSDA = Dallas

Age at Diagnosis * Sex Crosstabulation^a

| | | | Sex | | Total |
|---------------------|--------------|--------------|--------|--------|-------|
| | | | Male | Female | |
| Age at Diagnosis | 0 (0-11 mo) | Count | 1 | 1 | 2 |
| | | % within Sex | .1% | .3% | .1% |
| | 5-12 | Count | 1 | 1 | 2 |
| | | % within Sex | .1% | .3% | .1% |
| | 13-19 | Count | 18 | 15 | 33 |
| | | % within Sex | 1.6% | 4.8% | 2.3% |
| | 20-24 | Count | 93 | 33 | 126 |
| | | % within Sex | 8.1% | 10.6% | 8.6% |
| | 25-29 | Count | 120 | 51 | 171 |
| | | % within Sex | 10.5% | 16.4% | 11.7% |
| | 30-39 | Count | 469 | 116 | 585 |
| | | % within Sex | 40.9% | 37.3% | 40.1% |
| | 40-49 | Count | 332 | 72 | 404 |
| | | % within Sex | 28.9% | 23.2% | 27.7% |
| | 50-59 | Count | 99 | 13 | 112 |
| | | % within Sex | 8.6% | 4.2% | 7.7% |
| | 60-69 | Count | 9 | 7 | 16 |
| | | % within Sex | .8% | 2.3% | 1.1% |
| | 70+ | Count | 1 | | 1 |
| | | % within Sex | .1% | | .1% |
| Unknown | Count | 4 | 2 | 6 | |
| | % within Sex | .3% | .6% | .4% | |
| Total | Count | 1147 | 311 | 1458 | |
| | % within Sex | 100.0% | 100.0% | 100.0% | |

a. HSDA = Dallas

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

| | | | Sex | | Total |
|----------------|------------------------|--------------|--------------|--------|--------|
| | | | Male | Female | |
| Race-Ethnicity | White Non-Hispanic | Count | 609 | 85 | 694 |
| | | % within Sex | 53.1% | 27.3% | 47.6% |
| | African American | Count | 341 | 182 | 523 |
| | | % within Sex | 29.7% | 58.5% | 35.9% |
| | Hispanic | Count | 178 | 41 | 219 |
| | | % within Sex | 15.5% | 13.2% | 15.0% |
| | Asian-Pacific Islander | Count | 9 | 1 | 10 |
| | | % within Sex | .8% | .3% | .7% |
| | Am Indian-Alaskan | Count | 3 | 2 | 5 |
| | | % within Sex | .3% | .6% | .3% |
| | Not Specified | Count | 7 | | 7 |
| | | % within Sex | .6% | | .5% |
| | Total | | Count | 1147 | 311 |
| | | | % within Sex | 100.0% | 100.0% |

a. HSDA = Dallas

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|----------------------|--------------|--------------|--------|--------|
| | | | Male | Female | |
| Mode of Exposure | Male-to-Male Sex | Count | 803 | | 803 |
| | | % within Sex | 70.0% | | 55.1% |
| | IDU | Count | 45 | 35 | 80 |
| | | % within Sex | 3.9% | 11.3% | 5.5% |
| | M-M & IDU | Count | 37 | | 37 |
| | | % within Sex | 3.2% | | 2.5% |
| | Hemophiliac | Count | 1 | | 1 |
| | | % within Sex | .1% | | .1% |
| | Heterosexual Contact | Count | 36 | 154 | 190 |
| | | % within Sex | 3.1% | 49.5% | 13.0% |
| | Transfusion | Count | 2 | 3 | 5 |
| | | % within Sex | .2% | 1.0% | .3% |
| | Not Classified | Count | 221 | 117 | 338 |
| | | % within Sex | 19.3% | 37.6% | 23.2% |
| | Ped Parent at Risk | Count | 2 | 2 | 4 |
| | | % within Sex | .2% | .6% | .3% |
| | Total | | Count | 1147 | 311 |
| | | | % within Sex | 100.0% | 100.0% |

a. HSDA = Dallas

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | | Total |
|----------------|------------------------|--------------------|-----------|----------------------|---------|--------|
| | | | Pediatric | Adult/Adol escent | Unknown | |
| Race-Ethnicity | White Non-Hispanic | Count | | 693 | 1 | 694 |
| | | % within Adult-Ped | | 47.9% | 16.7% | 47.6% |
| | African American | Count | 4 | 515 | 4 | 523 |
| | | % within Adult-Ped | 100.0% | 35.6% | 66.7% | 35.9% |
| | Hispanic | Count | | 218 | 1 | 219 |
| | | % within Adult-Ped | | 15.1% | 16.7% | 15.0% |
| | Asian-Pacific Islander | Count | | 10 | | 10 |
| | | % within Adult-Ped | | .7% | | .7% |
| | Am Indian-Alaskan | Count | | 5 | | 5 |
| | | % within Adult-Ped | | .3% | | .3% |
| | Not Specified | Count | | 7 | | 7 |
| | | % within Adult-Ped | | .5% | | .5% |
| Total | | Count | 4 | 1448 | 6 | 1458 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% | 100.0% |

a. HSDA = Dallas

Sex * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | | Total |
|-------|--------|--------------------|-----------|----------------------|---------|--------|
| | | | Pediatric | Adult/Adol escent | Unknown | |
| Sex | Male | Count | 2 | 1141 | 4 | 1147 |
| | | % within Adult-Ped | 50.0% | 78.8% | 66.7% | 78.7% |
| | Female | Count | 2 | 307 | 2 | 311 |
| | | % within Adult-Ped | 50.0% | 21.2% | 33.3% | 21.3% |
| Total | | Count | 4 | 1448 | 6 | 1458 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% | 100.0% |

a. HSDA = Dallas

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

HSDA = Dallas

Age at Diagnosis * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Age at Diagnosis | 0 (0-11 mo) | Count | 4 | 1 | 5 |
| | | % within Sex | .5% | .4% | .5% |
| | 1 (12-23 mo) | Count | | 1 | 1 |
| | | % within Sex | | .4% | .1% |
| | 2-4 | Count | 1 | | 1 |
| | | % within Sex | .1% | | .1% |
| | 13-19 | Count | 8 | 18 | 26 |
| | | % within Sex | 1.0% | 7.2% | 2.4% |
| | 20-24 | Count | 69 | 42 | 111 |
| | | % within Sex | 8.4% | 16.8% | 10.4% |
| | 25-29 | Count | 134 | 43 | 177 |
| | | % within Sex | 16.4% | 17.2% | 16.6% |
| | 30-39 | Count | 360 | 79 | 439 |
| | | % within Sex | 44.0% | 31.6% | 41.1% |
| | 40-49 | Count | 187 | 40 | 227 |
| | | % within Sex | 22.8% | 16.0% | 21.2% |
| | 50-59 | Count | 47 | 22 | 69 |
| | | % within Sex | 5.7% | 8.8% | 6.5% |
| | 60-69 | Count | 9 | 4 | 13 |
| | | % within Sex | 1.1% | 1.6% | 1.2% |
| Total | | Count | 819 | 250 | 1069 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Dallas

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

| | | | Sex | | Total |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Race-Ethnicity | White Non-Hispanic | Count | 404 | 41 | 445 |
| | | % within Sex | 49.3% | 16.4% | 41.6% |
| | African American | Count | 256 | 165 | 421 |
| | | % within Sex | 31.3% | 66.0% | 39.4% |
| | Hispanic | Count | 143 | 43 | 186 |
| | | % within Sex | 17.5% | 17.2% | 17.4% |
| | Asian-Pacific Islander | Count | 11 | | 11 |
| | | % within Sex | 1.3% | | 1.0% |
| | Am Indian-Alaskan | Count | 3 | | 3 |
| | | % within Sex | .4% | | .3% |
| | Not Specified | Count | 2 | 1 | 3 |
| | | % within Sex | .2% | .4% | .3% |
| | Total | | 819 | 250 | 1069 |
| | | | 100.0% | 100.0% | 100.0% |

a. HSDA = Dallas

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Mode of Exposure | Male-to-Male Sex | Count | 540 | | 540 |
| | | % within Sex | 65.9% | | 50.5% |
| | IDU | Count | 42 | 54 | 96 |
| | | % within Sex | 5.1% | 21.6% | 9.0% |
| | M-M & IDU | Count | 42 | | 42 |
| | | % within Sex | 5.1% | | 3.9% |
| | Hemophiliac | Count | 1 | | 1 |
| | | % within Sex | .1% | | .1% |
| | Heterosexual Contact | Count | 12 | 39 | 51 |
| | | % within Sex | 1.5% | 15.6% | 4.8% |
| | Transfusion | Count | 1 | | 1 |
| | | % within Sex | .1% | | .1% |
| | Not Classified | Count | 176 | 155 | 331 |
| | | % within Sex | 21.5% | 62.0% | 31.0% |
| | Ped Parent at Risk | Count | 4 | 2 | 6 |
| | | % within Sex | .5% | .8% | .6% |
| | Ped Other-Undet | Count | 1 | | 1 |
| | | % within Sex | .1% | | .1% |
| | Total | | 819 | 250 | 1069 |
| | | | 100.0% | 100.0% | 100.0% |

a. HSDA = Dallas

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|----------------|------------------------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/Adol escent | |
| Race-Ethnicity | White Non-Hispanic | Count | 1 | 444 | 445 |
| | | % within Adult-Ped | 14.3% | 41.8% | 41.6% |
| | African American | Count | 4 | 417 | 421 |
| | | % within Adult-Ped | 57.1% | 39.3% | 39.4% |
| | Hispanic | Count | 2 | 184 | 186 |
| | | % within Adult-Ped | 28.6% | 17.3% | 17.4% |
| | Asian-Pacific Islander | Count | | 11 | 11 |
| | | % within Adult-Ped | | 1.0% | 1.0% |
| | Am Indian-Alaskan | Count | | 3 | 3 |
| | | % within Adult-Ped | | .3% | .3% |
| | Not Specified | Count | | 3 | 3 |
| | | % within Adult-Ped | | .3% | .3% |
| | Total | Count | 7 | 1062 | 1069 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. HSDA = Dallas

Sex * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|-------|--------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/Adol escent | |
| Sex | Male | Count | 5 | 814 | 819 |
| | | % within Adult-Ped | 71.4% | 76.6% | 76.6% |
| | Female | Count | 2 | 248 | 250 |
| | | % within Adult-Ped | 28.6% | 23.4% | 23.4% |
| Total | | Count | 7 | 1062 | 1069 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. HSDA = Dallas

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

HSDA = Dallas

Age at Diagnosis * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Age at Diagnosis | 0 (0-11 mo) | Count | 15 | 13 | 28 |
| | | % within Sex | .5% | 1.5% | .7% |
| | 1 (12-23 mo) | Count | 1 | 4 | 5 |
| | | % within Sex | .0% | .5% | .1% |
| | 2-4 | Count | 4 | 2 | 6 |
| | | % within Sex | .1% | .2% | .2% |
| | 5-12 | Count | 8 | 4 | 12 |
| | | % within Sex | .3% | .5% | .3% |
| | 13-19 | Count | 40 | 66 | 106 |
| | | % within Sex | 1.3% | 7.7% | 2.7% |
| | 20-24 | Count | 259 | 122 | 381 |
| | | % within Sex | 8.4% | 14.2% | 9.6% |
| | 25-29 | Count | 462 | 151 | 613 |
| | | % within Sex | 14.9% | 17.6% | 15.5% |
| | 30-39 | Count | 1328 | 290 | 1618 |
| | | % within Sex | 42.8% | 33.8% | 40.9% |
| | 40-49 | Count | 738 | 146 | 884 |
| | | % within Sex | 23.8% | 17.0% | 22.3% |
| | 50-59 | Count | 200 | 44 | 244 |
| | | % within Sex | 6.5% | 5.1% | 6.2% |
| | 60-69 | Count | 35 | 12 | 47 |
| | | % within Sex | 1.1% | 1.4% | 1.2% |
| | 70+ | Count | 3 | 1 | 4 |
| | | % within Sex | .1% | .1% | .1% |
| | Unknown | Count | 7 | 3 | 10 |
| | | % within Sex | .2% | .3% | .3% |
| Total | | Count | 3100 | 858 | 3958 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Dallas

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

| | | | Sex | | Total |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Race-Ethnicity | White Non-Hispanic | Count | 1597 | 186 | 1783 |
| | | % within Sex | 51.5% | 21.7% | 45.0% |
| | African American | Count | 987 | 543 | 1530 |
| | | % within Sex | 31.8% | 63.3% | 38.7% |
| | Hispanic | Count | 463 | 123 | 586 |
| | | % within Sex | 14.9% | 14.3% | 14.8% |
| | Asian-Pacific Islander | Count | 28 | 2 | 30 |
| | | % within Sex | .9% | .2% | .8% |
| | Am Indian-Alaskan | Count | 12 | 3 | 15 |
| | | % within Sex | .4% | .3% | .4% |
| | Not Specified | Count | 13 | 1 | 14 |
| | | % within Sex | .4% | .1% | .4% |
| | Total | | 3100 | 858 | 3958 |
| | | | 100.0% | 100.0% | 100.0% |

a. HSDA = Dallas

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Mode of Exposure | Male-to-Male Sex | Count | 2152 | | 2152 |
| | | % within Sex | 69.4% | | 54.4% |
| | IDU | Count | 121 | 132 | 253 |
| | | % within Sex | 3.9% | 15.4% | 6.4% |
| | M-M & IDU | Count | 177 | | 177 |
| | | % within Sex | 5.7% | | 4.5% |
| | Hemophiliac | Count | 4 | | 4 |
| | | % within Sex | .1% | | .1% |
| | Heterosexual Contact | Count | 94 | 287 | 381 |
| | | % within Sex | 3.0% | 33.4% | 9.6% |
| | Transfusion | Count | 5 | 5 | 10 |
| | | % within Sex | .2% | .6% | .3% |
| | Not Classified | Count | 519 | 411 | 930 |
| | | % within Sex | 16.7% | 47.9% | 23.5% |
| | Ped Hemophiliac | Count | 5 | | 5 |
| | | % within Sex | .2% | | .1% |
| | Ped Parent at Risk | Count | 22 | 21 | 43 |
| | | % within Sex | .7% | 2.4% | 1.1% |
| | Ped Transfusion | Count | | 1 | 1 |
| | | % within Sex | | .1% | .0% |
| | Ped Other-Undet | Count | 1 | 1 | 2 |
| | | % within Sex | .0% | .1% | .1% |
| | Total | | 3100 | 858 | 3958 |
| | | | 100.0% | 100.0% | 100.0% |

a. HSDA = Dallas

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | | Total |
|----------------|------------------------|--------------------|-----------|----------------------|---------|--------|
| | | | Pediatric | Adult/Adol escent | Unknown | |
| Race-Ethnicity | White Non-Hispanic | Count | 13 | 1766 | 4 | 1783 |
| | | % within Adult-Ped | 25.5% | 45.3% | 40.0% | 45.0% |
| | African American | Count | 27 | 1499 | 4 | 1530 |
| | | % within Adult-Ped | 52.9% | 38.5% | 40.0% | 38.7% |
| | Hispanic | Count | 10 | 574 | 2 | 586 |
| | | % within Adult-Ped | 19.6% | 14.7% | 20.0% | 14.8% |
| | Asian-Pacific Islander | Count | 1 | 29 | | 30 |
| | | % within Adult-Ped | 2.0% | .7% | | .8% |
| | Am Indian-Alaskan | Count | | 15 | | 15 |
| | | % within Adult-Ped | | .4% | | .4% |
| | Not Specified | Count | | 14 | | 14 |
| | | % within Adult-Ped | | .4% | | .4% |
| Total | | Count | 51 | 3897 | 10 | 3958 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% | 100.0% |

a. HSDA = Dallas

Sex * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | | Total |
|-------|--------|--------------------|-----------|----------------------|---------|--------|
| | | | Pediatric | Adult/Adol escent | Unknown | |
| Sex | Male | Count | 28 | 3065 | 7 | 3100 |
| | | % within Adult-Ped | 54.9% | 78.7% | 70.0% | 78.3% |
| | Female | Count | 23 | 832 | 3 | 858 |
| | | % within Adult-Ped | 45.1% | 21.3% | 30.0% | 21.7% |
| Total | | Count | 51 | 3897 | 10 | 3958 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% | 100.0% |

a. HSDA = Dallas

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

HSDA = Dallas

Age at Diagnosis * Sex Crosstabulation^a

| | | | Sex | | Total |
|---------------------|--------------|--------------|--------|--------|-------|
| | | | Male | Female | |
| Age at Diagnosis | 0 (0-11 mo) | Count | 14 | 13 | 27 |
| | | % within Sex | .5% | 1.5% | .7% |
| | 1 (12-23 mo) | Count | 1 | 4 | 5 |
| | | % within Sex | .0% | .5% | .1% |
| | 2-4 | Count | 4 | 2 | 6 |
| | | % within Sex | .1% | .2% | .2% |
| | 5-12 | Count | 8 | 3 | 11 |
| | | % within Sex | .3% | .4% | .3% |
| | 13-19 | Count | 40 | 66 | 106 |
| | | % within Sex | 1.3% | 7.8% | 2.7% |
| | 20-24 | Count | 256 | 121 | 377 |
| | | % within Sex | 8.4% | 14.3% | 9.7% |
| | 25-29 | Count | 458 | 150 | 608 |
| | | % within Sex | 15.0% | 17.7% | 15.6% |
| | 30-39 | Count | 1317 | 286 | 1603 |
| | | % within Sex | 43.2% | 33.7% | 41.1% |
| | 40-49 | Count | 720 | 144 | 864 |
| | | % within Sex | 23.6% | 17.0% | 22.2% |
| | 50-59 | Count | 189 | 43 | 232 |
| | | % within Sex | 6.2% | 5.1% | 6.0% |
| 60-69 | Count | 33 | 12 | 45 | |
| | % within Sex | 1.1% | 1.4% | 1.2% | |
| 70+ | Count | 2 | 1 | 3 | |
| | % within Sex | .1% | .1% | .1% | |
| Unknown | Count | 7 | 3 | 10 | |
| | % within Sex | .2% | .4% | .3% | |
| Total | Count | 3049 | 848 | 3897 | |
| | % within Sex | 100.0% | 100.0% | 100.0% | |

a. HSDA = Dallas

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

| | | | Sex | | Total |
|-------------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Current Age | 0 (0-11 mo) | Count | 1 | | 1 |
| | | % within Sex | .0% | | .0% |
| | 1 (12-23 mo) | Count | 2 | 1 | 3 |
| | | % within Sex | .1% | .1% | .1% |
| | 2-4 | Count | 6 | 6 | 12 |
| | | % within Sex | .2% | .7% | .3% |
| | 5-12 | Count | 11 | 12 | 23 |
| | | % within Sex | .4% | 1.4% | .6% |
| | 13-19 | Count | 16 | 30 | 46 |
| | | % within Sex | .5% | 3.5% | 1.2% |
| | 20-24 | Count | 171 | 99 | 270 |
| | | % within Sex | 5.6% | 11.7% | 6.9% |
| | 25-29 | Count | 342 | 145 | 487 |
| | | % within Sex | 11.2% | 17.1% | 12.5% |
| | 30-39 | Count | 1296 | 305 | 1601 |
| | | % within Sex | 42.5% | 36.0% | 41.1% |
| | 40-49 | Count | 901 | 179 | 1080 |
| | | % within Sex | 29.6% | 21.1% | 27.7% |
| | 50-59 | Count | 247 | 53 | 300 |
| | | % within Sex | 8.1% | 6.3% | 7.7% |
| | 60-69 | Count | 50 | 15 | 65 |
| | | % within Sex | 1.6% | 1.8% | 1.7% |
| | 70+ | Count | 4 | 1 | 5 |
| | | % within Sex | .1% | .1% | .1% |
| | Unknown | Count | 2 | 2 | 4 |
| | | % within Sex | .1% | .2% | .1% |
| Total | | Count | 3049 | 848 | 3897 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Dallas

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

| | | | Sex | | Total |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Race-Ethnicity | White Non-Hispanic | Count | 1578 | 183 | 1761 |
| | | % within Sex | 51.8% | 21.6% | 45.2% |
| | African American | Count | 966 | 538 | 1504 |
| | | % within Sex | 31.7% | 63.4% | 38.6% |
| | Hispanic | Count | 454 | 121 | 575 |
| | | % within Sex | 14.9% | 14.3% | 14.8% |
| | Asian-Pacific Islander | Count | 28 | 2 | 30 |
| | | % within Sex | .9% | .2% | .8% |
| | Am Indian-Alaskan | Count | 10 | 3 | 13 |
| | | % within Sex | .3% | .4% | .3% |
| | Not Specified | Count | 13 | 1 | 14 |
| | | % within Sex | .4% | .1% | .4% |
| | Total | | 3049 | 848 | 3897 |
| | | | 100.0% | 100.0% | 100.0% |

a. HSDA = Dallas

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Mode of Exposure | Male-to-Male Sex | Count | 2127 | | 2127 |
| | | % within Sex | 69.8% | | 54.6% |
| | IDU | Count | 117 | 131 | 248 |
| | | % within Sex | 3.8% | 15.4% | 6.4% |
| | M-M & IDU | Count | 173 | | 173 |
| | | % within Sex | 5.7% | | 4.4% |
| | Hemophiliac | Count | 4 | | 4 |
| | | % within Sex | .1% | | .1% |
| | Heterosexual Contact | Count | 93 | 286 | 379 |
| | | % within Sex | 3.1% | 33.7% | 9.7% |
| | Transfusion | Count | 5 | 5 | 10 |
| | | % within Sex | .2% | .6% | .3% |
| | Not Classified | Count | 503 | 404 | 907 |
| | | % within Sex | 16.5% | 47.6% | 23.3% |
| | Ped Hemophiliac | Count | 5 | | 5 |
| | | % within Sex | .2% | | .1% |
| | Ped Parent at Risk | Count | 21 | 20 | 41 |
| | | % within Sex | .7% | 2.4% | 1.1% |
| | Ped Transfusion | Count | | 1 | 1 |
| | | % within Sex | | .1% | .0% |
| | Ped Other-Undet | Count | 1 | 1 | 2 |
| | | % within Sex | .0% | .1% | .1% |
| | Total | | 3049 | 848 | 3897 |
| | | | 100.0% | 100.0% | 100.0% |

a. HSDA = Dallas

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | | Total |
|----------------|------------------------|--------------------|-----------|----------------------|---------|--------|
| | | | Pediatric | Adult/Adol escent | Unknown | |
| Race-Ethnicity | White Non-Hispanic | Count | 12 | 1745 | 4 | 1761 |
| | | % within Adult-Ped | 24.5% | 45.5% | 40.0% | 45.2% |
| | African American | Count | 26 | 1474 | 4 | 1504 |
| | | % within Adult-Ped | 53.1% | 38.4% | 40.0% | 38.6% |
| | Hispanic | Count | 10 | 563 | 2 | 575 |
| | | % within Adult-Ped | 20.4% | 14.7% | 20.0% | 14.8% |
| | Asian-Pacific Islander | Count | 1 | 29 | | 30 |
| | | % within Adult-Ped | 2.0% | .8% | | .8% |
| | Am Indian-Alaskan | Count | | 13 | | 13 |
| | | % within Adult-Ped | | .3% | | .3% |
| | Not Specified | Count | | 14 | | 14 |
| | | % within Adult-Ped | | .4% | | .4% |
| | Total | Count | 49 | 3838 | 10 | 3897 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% | 100.0% |

a. HSDA = Dallas

Sex * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | | Total |
|-------|--------|--------------------|-----------|----------------------|---------|--------|
| | | | Pediatric | Adult/Adol escent | Unknown | |
| Sex | Male | Count | 27 | 3015 | 7 | 3049 |
| | | % within Adult-Ped | 55.1% | 78.6% | 70.0% | 78.2% |
| | Female | Count | 22 | 823 | 3 | 848 |
| | | % within Adult-Ped | 44.9% | 21.4% | 30.0% | 21.8% |
| Total | | Count | 49 | 3838 | 10 | 3897 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% | 100.0% |

a. HSDA = Dallas

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

HSDA = Dallas

Age at Diagnosis * Sex Crosstabulation^a

| | | | Sex | | Total |
|---------------------|--------------|--------------|--------|--------|-------|
| | | | Male | Female | |
| Age at Diagnosis | 13-19 | Count | 2 | 1 | 3 |
| | | % within Sex | .4% | .8% | .4% |
| | 20-24 | Count | 21 | 5 | 26 |
| | | % within Sex | 3.7% | 3.9% | 3.7% |
| | 25-29 | Count | 52 | 20 | 72 |
| | | % within Sex | 9.2% | 15.6% | 10.4% |
| | 30-39 | Count | 261 | 62 | 323 |
| | | % within Sex | 46.1% | 48.4% | 46.5% |
| | 40-49 | Count | 168 | 23 | 191 |
| | | % within Sex | 29.7% | 18.0% | 27.5% |
| | 50-59 | Count | 52 | 15 | 67 |
| | | % within Sex | 9.2% | 11.7% | 9.7% |
| | 60-69 | Count | 8 | 2 | 10 |
| | | % within Sex | 1.4% | 1.6% | 1.4% |
| | 70+ | Count | 1 | | 1 |
| | | % within Sex | .2% | | .1% |
| | Unknown | Count | 1 | | 1 |
| | | % within Sex | .2% | | .1% |
| Total | Count | 566 | 128 | 694 | |
| | % within Sex | 100.0% | 100.0% | 100.0% | |

a. HSDA = Dallas

Race-Ethnicity * Sex Crosstabulation^a

| | | | Sex | | Total |
|----------------|------------------------|--------------|--------------|--------|--------|
| | | | Male | Female | |
| Race-Ethnicity | White Non-Hispanic | Count | 247 | 22 | 269 |
| | | % within Sex | 43.6% | 17.2% | 38.8% |
| | African American | Count | 209 | 86 | 295 |
| | | % within Sex | 36.9% | 67.2% | 42.5% |
| | Hispanic | Count | 108 | 18 | 126 |
| | | % within Sex | 19.1% | 14.1% | 18.2% |
| | Asian-Pacific Islander | Count | 2 | 2 | 4 |
| | | % within Sex | .4% | 1.6% | .6% |
| | Total | | Count | 566 | 128 |
| | | | % within Sex | 100.0% | 100.0% |

a. HSDA = Dallas

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Mode of Exposure | Male-to-Male Sex | Count | 352 | | 352 |
| | | % within Sex | 62.2% | | 50.7% |
| | IDU | Count | 37 | 11 | 48 |
| | | % within Sex | 6.5% | 8.6% | 6.9% |
| | M-M & IDU | Count | 21 | | 21 |
| | | % within Sex | 3.7% | | 3.0% |
| | Hemophiliac | Count | 1 | | 1 |
| | | % within Sex | .2% | | .1% |
| | Heterosexual Contact | Count | 16 | 54 | 70 |
| | | % within Sex | 2.8% | 42.2% | 10.1% |
| | Transfusion | Count | 2 | 4 | 6 |
| | | % within Sex | .4% | 3.1% | .9% |
| | Not Classified | Count | 137 | 58 | 195 |
| | | % within Sex | 24.2% | 45.3% | 28.1% |
| | Ped Transfusion | Count | | 1 | 1 |
| | | % within Sex | | .8% | .1% |
| Total | | Count | 566 | 128 | 694 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Dallas

Race-Ethnicity * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|----------------|------------------------|--------------------|----------------------|---------|--------|
| | | | Adult/Adol escent | Unknown | |
| Race-Ethnicity | White Non-Hispanic | Count | 268 | 1 | 269 |
| | | % within Adult-Ped | 38.7% | 100.0% | 38.8% |
| | African American | Count | 295 | | 295 |
| | | % within Adult-Ped | 42.6% | | 42.5% |
| | Hispanic | Count | 126 | | 126 |
| | | % within Adult-Ped | 18.2% | | 18.2% |
| | Asian-Pacific Islander | Count | 4 | | 4 |
| | | % within Adult-Ped | .6% | | .6% |
| Total | | Count | 693 | 1 | 694 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. HSDA = Dallas

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | Total |
|-------|--------|--------------------|----------------------|---------|--------|
| | | | Adult/Adol escent | Unknown | |
| Sex | Male | Count | 565 | 1 | 566 |
| | | % within Adult-Ped | 81.5% | 100.0% | 81.6% |
| | Female | Count | 128 | | 128 |
| | | % within Adult-Ped | 18.5% | | 18.4% |
| Total | | Count | 693 | 1 | 694 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. HSDA = Dallas

AIDS Cases Reported during 2001
(from the 02/27/03 HARS data set)

HSDA = Dallas

Age at Diagnosis * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|-------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Age at Diagnosis | 13-19 | Count | | 1 | 1 |
| | | % within Sex | | .7% | .1% |
| | 20-24 | Count | 27 | 10 | 37 |
| | | % within Sex | 4.2% | 7.1% | 4.7% |
| | 25-29 | Count | 65 | 16 | 81 |
| | | % within Sex | 10.2% | 11.3% | 10.4% |
| | 30-39 | Count | 288 | 64 | 352 |
| | | % within Sex | 45.1% | 45.4% | 45.1% |
| | 40-49 | Count | 186 | 32 | 218 |
| | | % within Sex | 29.1% | 22.7% | 27.9% |
| | 50-59 | Count | 61 | 14 | 75 |
| | | % within Sex | 9.5% | 9.9% | 9.6% |
| | 60-69 | Count | 11 | 3 | 14 |
| | | % within Sex | 1.7% | 2.1% | 1.8% |
| | 70+ | Count | 1 | 1 | 2 |
| | | % within Sex | .2% | .7% | .3% |
| Total | | Count | 639 | 141 | 780 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Dallas

Race-Ethnicity * Sex Crosstabulation^a

| | | | Sex | | Total |
|----------------|------------------------|--------------|--------|--------|-------|
| | | | Male | Female | |
| Race-Ethnicity | White Non-Hispanic | Count | 290 | 24 | 314 |
| | | % within Sex | 45.4% | 17.0% | 40.3% |
| | African American | Count | 209 | 96 | 305 |
| | | % within Sex | 32.7% | 68.1% | 39.1% |
| | Hispanic | Count | 132 | 16 | 148 |
| | | % within Sex | 20.7% | 11.3% | 19.0% |
| | Asian-Pacific Islander | Count | 7 | 1 | 8 |
| | | % within Sex | 1.1% | .7% | 1.0% |
| | Am Indian-Alaskan | Count | | 2 | 2 |
| | | % within Sex | | 1.4% | .3% |
| | Not Specified | Count | 1 | 2 | 3 |
| | | % within Sex | .2% | 1.4% | .4% |
| Total | Count | 639 | 141 | 780 | |
| | % within Sex | 100.0% | 100.0% | 100.0% | |

a. HSDA = Dallas

AIDS Cases Reported during 2001
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Mode of Exposure | Male-to-Male Sex | Count | 399 | | 399 |
| | | % within Sex | 62.4% | | 51.2% |
| | IDU | Count | 29 | 27 | 56 |
| | | % within Sex | 4.5% | 19.1% | 7.2% |
| | M-M & IDU | Count | 50 | | 50 |
| | | % within Sex | 7.8% | | 6.4% |
| | Heterosexual Contact | Count | 12 | 28 | 40 |
| | | % within Sex | 1.9% | 19.9% | 5.1% |
| | Transfusion | Count | 1 | 2 | 3 |
| | | % within Sex | .2% | 1.4% | .4% |
| | Not Classified | Count | 146 | 84 | 230 |
| | | % within Sex | 22.8% | 59.6% | 29.5% |
| | Ped Hemophiliac | Count | 1 | | 1 |
| | | % within Sex | .2% | | .1% |
| | Ped Transfusion | Count | 1 | | 1 |
| | | % within Sex | .2% | | .1% |
| Total | | Count | 639 | 141 | 780 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Dallas

Race-Ethnicity * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | Total |
|----------------|------------------------|--------------------|----------------------|--------|
| | | | Adult/Adol escent | |
| Race-Ethnicity | White Non-Hispanic | Count | 314 | 314 |
| | | % within Adult-Ped | 40.3% | 40.3% |
| | African American | Count | 305 | 305 |
| | | % within Adult-Ped | 39.1% | 39.1% |
| | Hispanic | Count | 148 | 148 |
| | | % within Adult-Ped | 19.0% | 19.0% |
| | Asian-Pacific Islander | Count | 8 | 8 |
| | | % within Adult-Ped | 1.0% | 1.0% |
| | Am Indian-Alaskan | Count | 2 | 2 |
| | | % within Adult-Ped | .3% | .3% |
| | Not Specified | Count | 3 | 3 |
| | | % within Adult-Ped | .4% | .4% |
| Total | | Count | 780 | 780 |
| | | % within Adult-Ped | 100.0% | 100.0% |

a. HSDA = Dallas

AIDS Cases Reported during 2001
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | |
|-------|--------|--------------------|----------------------|--------|
| | | | Adult/Adol escent | Total |
| Sex | Male | Count | 639 | 639 |
| | | % within Adult-Ped | 81.9% | 81.9% |
| | Female | Count | 141 | 141 |
| | | % within Adult-Ped | 18.1% | 18.1% |
| Total | | Count | 780 | 780 |
| | | % within Adult-Ped | 100.0% | 100.0% |

a. HSDA = Dallas

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

HSDA = Dallas

Age at Diagnosis * Sex Crosstabulation^a

| | | | Sex | | Total |
|---------------------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Age at Diagnosis | 0 (0-11 mo) | Count | 8 | 7 | 15 |
| | | % within Sex | .1% | .5% | .1% |
| | 1 (12-23 mo) | Count | 6 | 1 | 7 |
| | | % within Sex | .0% | .1% | .1% |
| | 2-4 | Count | 4 | 4 | 8 |
| | | % within Sex | .0% | .3% | .1% |
| | 5-12 | Count | 6 | 3 | 9 |
| | | % within Sex | .0% | .2% | .1% |
| | 13-19 | Count | 39 | 19 | 58 |
| | | % within Sex | .3% | 1.5% | .4% |
| | 20-24 | Count | 450 | 109 | 559 |
| | | % within Sex | 3.6% | 8.4% | 4.0% |
| | 25-29 | Count | 2041 | 228 | 2269 |
| | | % within Sex | 16.2% | 17.6% | 16.3% |
| | 30-39 | Count | 6308 | 529 | 6837 |
| | | % within Sex | 50.0% | 40.9% | 49.2% |
| | 40-49 | Count | 2796 | 263 | 3059 |
| | | % within Sex | 22.2% | 20.3% | 22.0% |
| | 50-59 | Count | 757 | 85 | 842 |
| | | % within Sex | 6.0% | 6.6% | 6.1% |
| | 60-69 | Count | 163 | 30 | 193 |
| | | % within Sex | 1.3% | 2.3% | 1.4% |
| | 70+ | Count | 30 | 16 | 46 |
| | | % within Sex | .2% | 1.2% | .3% |
| | Unknown | Count | 1 | | 1 |
| | | % within Sex | .0% | | .0% |
| Total | | Count | 12609 | 1294 | 13903 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Dallas

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

| | | | Sex | | Total |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Race-Ethnicity | White Non-Hispanic | Count | 8114 | 361 | 8475 |
| | | % within Sex | 64.4% | 27.9% | 61.0% |
| | African American | Count | 2968 | 766 | 3734 |
| | | % within Sex | 23.5% | 59.2% | 26.9% |
| | Hispanic | Count | 1433 | 147 | 1580 |
| | | % within Sex | 11.4% | 11.4% | 11.4% |
| | Asian-Pacific Islander | Count | 57 | 14 | 71 |
| | | % within Sex | .5% | 1.1% | .5% |
| | Am Indian-Alaskan | Count | 35 | 4 | 39 |
| | | % within Sex | .3% | .3% | .3% |
| | Not Specified | Count | 2 | 2 | 4 |
| | | % within Sex | .0% | .2% | .0% |
| | Total | | 12609 | 1294 | 13903 |
| | | | 100.0% | 100.0% | 100.0% |

a. HSDA = Dallas

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Mode of Exposure | Male-to-Male Sex | Count | 9793 | | 9793 |
| | | % within Sex | 77.7% | | 70.4% |
| | IDU | Count | 725 | 346 | 1071 |
| | | % within Sex | 5.7% | 26.7% | 7.7% |
| | M-M & IDU | Count | 1028 | | 1028 |
| | | % within Sex | 8.2% | | 7.4% |
| | Hemophiliac | Count | 35 | | 35 |
| | | % within Sex | .3% | | .3% |
| | Heterosexual Contact | Count | 263 | 502 | 765 |
| | | % within Sex | 2.1% | 38.8% | 5.5% |
| | Transfusion | Count | 82 | 77 | 159 |
| | | % within Sex | .7% | 6.0% | 1.1% |
| | Not Classified | Count | 649 | 353 | 1002 |
| | | % within Sex | 5.1% | 27.3% | 7.2% |
| | Ped Hemophiliac | Count | 10 | | 10 |
| | | % within Sex | .1% | | .1% |
| | Ped Parent at Risk | Count | 17 | 13 | 30 |
| | | % within Sex | .1% | 1.0% | .2% |
| | Ped Transfusion | Count | 7 | 2 | 9 |
| | | % within Sex | .1% | .2% | .1% |
| | Ped Other-Undet | Count | | 1 | 1 |
| | | % within Sex | | .1% | .0% |
| | Total | | 12609 | 1294 | 13903 |
| | | | 100.0% | 100.0% | 100.0% |

a. HSDA = Dallas

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | | Total |
|----------------|------------------------|--------------------|-----------|----------------------|---------|--------|
| | | | Pediatric | Adult/Adol escent | Unknown | |
| Race-Ethnicity | White Non-Hispanic | Count | 13 | 8461 | 1 | 8475 |
| | | % within Adult-Ped | 33.3% | 61.0% | 100.0% | 61.0% |
| | African American | Count | 20 | 3714 | | 3734 |
| | | % within Adult-Ped | 51.3% | 26.8% | | 26.9% |
| | Hispanic | Count | 5 | 1575 | | 1580 |
| | | % within Adult-Ped | 12.8% | 11.4% | | 11.4% |
| | Asian-Pacific Islander | Count | 1 | 70 | | 71 |
| | | % within Adult-Ped | 2.6% | .5% | | .5% |
| | Am Indian-Alaskan | Count | | 39 | | 39 |
| | | % within Adult-Ped | | .3% | | .3% |
| | Not Specified | Count | | 4 | | 4 |
| | | % within Adult-Ped | | .0% | | .0% |
| Total | | Count | 39 | 13863 | 1 | 13903 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% | 100.0% |

a. HSDA = Dallas

Sex * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | | Total |
|-------|--------|--------------------|-----------|----------------------|---------|--------|
| | | | Pediatric | Adult/Adol escent | Unknown | |
| Sex | Male | Count | 24 | 12584 | 1 | 12609 |
| | | % within Adult-Ped | 61.5% | 90.8% | 100.0% | 90.7% |
| | Female | Count | 15 | 1279 | | 1294 |
| | | % within Adult-Ped | 38.5% | 9.2% | | 9.3% |
| Total | | Count | 39 | 13863 | 1 | 13903 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% | 100.0% |

a. HSDA = Dallas

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

HSDA = Dallas

Age at Diagnosis * Sex Crosstabulation^a

| | | | Sex | | Total |
|---------------------|--------------|--------------|--------|--------|-------|
| | | | Male | Female | |
| Age at Diagnosis | 0 (0-11 mo) | Count | 3 | 4 | 7 |
| | | % within Sex | .1% | .5% | .1% |
| | 1 (12-23 mo) | Count | | 1 | 1 |
| | | % within Sex | | .1% | .0% |
| | 2-4 | Count | 1 | 1 | 2 |
| | | % within Sex | .0% | .1% | .0% |
| | 5-12 | Count | 3 | 2 | 5 |
| | | % within Sex | .1% | .2% | .1% |
| | 13-19 | Count | 27 | 16 | 43 |
| | | % within Sex | .5% | 1.8% | .7% |
| | 20-24 | Count | 198 | 75 | 273 |
| | | % within Sex | 3.5% | 8.6% | 4.2% |
| | 25-29 | Count | 776 | 154 | 930 |
| | | % within Sex | 13.9% | 17.7% | 14.4% |
| | 30-39 | Count | 2890 | 381 | 3271 |
| | | % within Sex | 51.7% | 43.7% | 50.6% |
| | 40-49 | Count | 1307 | 167 | 1474 |
| | | % within Sex | 23.4% | 19.2% | 22.8% |
| | 50-59 | Count | 317 | 51 | 368 |
| | | % within Sex | 5.7% | 5.9% | 5.7% |
| 60-69 | Count | 62 | 15 | 77 | |
| | % within Sex | 1.1% | 1.7% | 1.2% | |
| 70+ | Count | 5 | 4 | 9 | |
| | % within Sex | .1% | .5% | .1% | |
| Unknown | Count | 1 | | 1 | |
| | % within Sex | .0% | | .0% | |
| Total | Count | 5590 | 871 | 6461 | |
| | % within Sex | 100.0% | 100.0% | 100.0% | |

a. HSDA = Dallas

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

| | | | Sex | | Total |
|-------------|--------------|--------------|--------|--------|-------|
| | | | Male | Female | |
| Current Age | 5-12 | Count | 3 | 3 | 6 |
| | | % within Sex | .1% | .3% | .1% |
| | 13-19 | Count | 3 | 6 | 9 |
| | | % within Sex | .1% | .7% | .1% |
| | 20-24 | Count | 41 | 21 | 62 |
| | | % within Sex | .7% | 2.4% | 1.0% |
| | 25-29 | Count | 186 | 92 | 278 |
| | | % within Sex | 3.3% | 10.6% | 4.3% |
| | 30-39 | Count | 1921 | 339 | 2260 |
| | | % within Sex | 34.4% | 38.9% | 35.0% |
| | 40-49 | Count | 2455 | 282 | 2737 |
| | | % within Sex | 43.9% | 32.4% | 42.4% |
| | 50-59 | Count | 781 | 98 | 879 |
| | | % within Sex | 14.0% | 11.3% | 13.6% |
| | 60-69 | Count | 173 | 22 | 195 |
| | | % within Sex | 3.1% | 2.5% | 3.0% |
| | 70+ | Count | 27 | 8 | 35 |
| | | % within Sex | .5% | .9% | .5% |
| Total | Count | 5590 | 871 | 6461 | |
| | % within Sex | 100.0% | 100.0% | 100.0% | |

a. HSDA = Dallas

Race-Ethnicity * Sex Crosstabulation^a

| | | | Sex | | Total |
|----------------|------------------------|--------------|--------|--------|-------|
| | | | Male | Female | |
| Race-Ethnicity | White Non-Hispanic | Count | 3133 | 197 | 3330 |
| | | % within Sex | 56.0% | 22.6% | 51.5% |
| | African American | Count | 1593 | 547 | 2140 |
| | | % within Sex | 28.5% | 62.8% | 33.1% |
| | Hispanic | Count | 813 | 111 | 924 |
| | | % within Sex | 14.5% | 12.7% | 14.3% |
| | Asian-Pacific Islander | Count | 30 | 11 | 41 |
| | | % within Sex | .5% | 1.3% | .6% |
| | Am Indian-Alaskan | Count | 20 | 3 | 23 |
| | | % within Sex | .4% | .3% | .4% |
| | Not Specified | Count | 1 | 2 | 3 |
| | | % within Sex | .0% | .2% | .0% |
| Total | Count | 5590 | 871 | 6461 | |
| | % within Sex | 100.0% | 100.0% | 100.0% | |

a. HSDA = Dallas

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Mode of Exposure | Male-to-Male Sex | Count | 4188 | | 4188 |
| | | % within Sex | 74.9% | | 64.8% |
| | IDU | Count | 332 | 204 | 536 |
| | | % within Sex | 5.9% | 23.4% | 8.3% |
| | M-M & IDU | Count | 383 | | 383 |
| | | % within Sex | 6.9% | | 5.9% |
| | Hemophiliac | Count | 10 | | 10 |
| | | % within Sex | .2% | | .2% |
| | Heterosexual Contact | Count | 158 | 329 | 487 |
| | | % within Sex | 2.8% | 37.8% | 7.5% |
| | Transfusion | Count | 23 | 29 | 52 |
| | | % within Sex | .4% | 3.3% | .8% |
| | Not Classified | Count | 483 | 300 | 783 |
| | | % within Sex | 8.6% | 34.4% | 12.1% |
| | Ped Hemophiliac | Count | 5 | | 5 |
| | | % within Sex | .1% | | .1% |
| | Ped Parent at Risk | Count | 5 | 6 | 11 |
| | | % within Sex | .1% | .7% | .2% |
| | Ped Transfusion | Count | 3 | 2 | 5 |
| | | % within Sex | .1% | .2% | .1% |
| | Ped Other-Undet | Count | | 1 | 1 |
| | | % within Sex | | .1% | .0% |
| Total | | Count | 5590 | 871 | 6461 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Dallas

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | | Total |
|----------------|------------------------|--------------------|-----------|----------------------|---------|-------|
| | | | Pediatric | Adult/Adol escent | Unknown | |
| Race-Ethnicity | White Non-Hispanic | Count | 6 | 3323 | 1 | 3330 |
| | | % within Adult-Ped | 40.0% | 51.6% | 100.0% | 51.5% |
| | African American | Count | 8 | 2132 | | 2140 |
| | | % within Adult-Ped | 53.3% | 33.1% | | 33.1% |
| | Hispanic | Count | 1 | 923 | | 924 |
| | | % within Adult-Ped | 6.7% | 14.3% | | 14.3% |
| | Asian-Pacific Islander | Count | | 41 | | 41 |
| | | % within Adult-Ped | | .6% | | .6% |
| | Am Indian-Alaskan | Count | | 23 | | 23 |
| | | % within Adult-Ped | | .4% | | .4% |
| | Not Specified | Count | | 3 | | 3 |
| | | % within Adult-Ped | | .0% | | .0% |
| Total | Count | 15 | 6445 | 1 | 6461 | |
| | % within Adult-Ped | 100.0% | 100.0% | 100.0% | 100.0% | |

a. HSDA = Dallas

Sex * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | | Total |
|-------|--------|--------------------|-----------|----------------------|---------|--------|
| | | | Pediatric | Adult/Adol escent | Unknown | |
| Sex | Male | Count | 7 | 5582 | 1 | 5590 |
| | | % within Adult-Ped | 46.7% | 86.6% | 100.0% | 86.5% |
| | Female | Count | 8 | 863 | | 871 |
| | | % within Adult-Ped | 53.3% | 13.4% | | 13.5% |
| Total | | Count | 15 | 6445 | 1 | 6461 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% | 100.0% |

a. HSDA = Dallas

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

HSDA = Dallas

Age at Diagnosis * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Age at Diagnosis | 0 (0-11 mo) | Count | 17 | 17 | 34 |
| | | % within Sex | .2% | 1.0% | .3% |
| | 1 (12-23 mo) | Count | 1 | 5 | 6 |
| | | % within Sex | .0% | .3% | .1% |
| | 2-4 | Count | 5 | 3 | 8 |
| | | % within Sex | .1% | .2% | .1% |
| | 5-12 | Count | 11 | 5 | 16 |
| | | % within Sex | .1% | .3% | .2% |
| | 13-19 | Count | 67 | 82 | 149 |
| | | % within Sex | .8% | 4.8% | 1.4% |
| | 20-24 | Count | 454 | 196 | 650 |
| | | % within Sex | 5.3% | 11.4% | 6.3% |
| | 25-29 | Count | 1234 | 304 | 1538 |
| | | % within Sex | 14.3% | 17.7% | 14.8% |
| | 30-39 | Count | 4207 | 667 | 4874 |
| | | % within Sex | 48.7% | 38.8% | 47.1% |
| | 40-49 | Count | 2027 | 311 | 2338 |
| | | % within Sex | 23.5% | 18.1% | 22.6% |
| | 50-59 | Count | 506 | 94 | 600 |
| | | % within Sex | 5.9% | 5.5% | 5.8% |
| | 60-69 | Count | 95 | 27 | 122 |
| | | % within Sex | 1.1% | 1.6% | 1.2% |
| | 70+ | Count | 7 | 5 | 12 |
| | | % within Sex | .1% | .3% | .1% |
| | Unknown | Count | 8 | 3 | 11 |
| | | % within Sex | .1% | .2% | .1% |
| Total | | Count | 8639 | 1719 | 10358 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Dallas

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Current Age * Sex Crosstabulation^a

| | | | Sex | | Total |
|-------------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Current Age | 0 (0-11 mo) | Count | 1 | | 1 |
| | | % within Sex | .0% | | .0% |
| | 1 (12-23 mo) | Count | 2 | 1 | 3 |
| | | % within Sex | .0% | .1% | .0% |
| | 2-4 | Count | 6 | 6 | 12 |
| | | % within Sex | .1% | .3% | .1% |
| | 5-12 | Count | 14 | 15 | 29 |
| | | % within Sex | .2% | .9% | .3% |
| | 13-19 | Count | 19 | 36 | 55 |
| | | % within Sex | .2% | 2.1% | .5% |
| | 20-24 | Count | 212 | 120 | 332 |
| | | % within Sex | 2.5% | 7.0% | 3.2% |
| | 25-29 | Count | 528 | 237 | 765 |
| | | % within Sex | 6.1% | 13.8% | 7.4% |
| | 30-39 | Count | 3217 | 644 | 3861 |
| | | % within Sex | 37.2% | 37.5% | 37.3% |
| | 40-49 | Count | 3356 | 461 | 3817 |
| | | % within Sex | 38.8% | 26.8% | 36.9% |
| | 50-59 | Count | 1028 | 151 | 1179 |
| | | % within Sex | 11.9% | 8.8% | 11.4% |
| | 60-69 | Count | 223 | 37 | 260 |
| | | % within Sex | 2.6% | 2.2% | 2.5% |
| | 70+ | Count | 31 | 9 | 40 |
| | | % within Sex | .4% | .5% | .4% |
| | Unknown | Count | 2 | 2 | 4 |
| | | % within Sex | .0% | .1% | .0% |
| Total | | Count | 8639 | 1719 | 10358 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Dallas

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Race-Ethnicity * Sex Crosstabulation^a

| | | | Sex | | Total |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Race-Ethnicity | White Non-Hispanic | Count | 4711 | 380 | 5091 |
| | | % within Sex | 54.5% | 22.1% | 49.2% |
| | African American | Count | 2559 | 1085 | 3644 |
| | | % within Sex | 29.6% | 63.1% | 35.2% |
| | Hispanic | Count | 1267 | 232 | 1499 |
| | | % within Sex | 14.7% | 13.5% | 14.5% |
| | Asian-Pacific Islander | Count | 58 | 13 | 71 |
| | | % within Sex | .7% | .8% | .7% |
| | Am Indian-Alaskan | Count | 30 | 6 | 36 |
| | | % within Sex | .3% | .3% | .3% |
| | Not Specified | Count | 14 | 3 | 17 |
| | | % within Sex | .2% | .2% | .2% |
| | Total | Count | 8639 | 1719 | 10358 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Dallas

Mode of Exposure * Sex Crosstabulation^a

| | | | Sex | | Total |
|------------------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | |
| Mode of Exposure | Male-to-Male Sex | Count | 6315 | | 6315 |
| | | % within Sex | 73.1% | | 61.0% |
| | IDU | Count | 449 | 335 | 784 |
| | | % within Sex | 5.2% | 19.5% | 7.6% |
| | M-M & IDU | Count | 556 | | 556 |
| | | % within Sex | 6.4% | | 5.4% |
| | Hemophiliac | Count | 14 | | 14 |
| | | % within Sex | .2% | | .1% |
| | Heterosexual Contact | Count | 251 | 615 | 866 |
| | | % within Sex | 2.9% | 35.8% | 8.4% |
| | Transfusion | Count | 28 | 34 | 62 |
| | | % within Sex | .3% | 2.0% | .6% |
| | Not Classified | Count | 986 | 704 | 1690 |
| | | % within Sex | 11.4% | 41.0% | 16.3% |
| | Ped Hemophiliac | Count | 10 | | 10 |
| | | % within Sex | .1% | | .1% |
| | Ped Parent at Risk | Count | 26 | 26 | 52 |
| | | % within Sex | .3% | 1.5% | .5% |
| | Ped Transfusion | Count | 3 | 3 | 6 |
| | | % within Sex | .0% | .2% | .1% |
| | Ped Other-Undet | Count | 1 | 2 | 3 |
| | | % within Sex | .0% | .1% | .0% |
| | Total | Count | 8639 | 1719 | 10358 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. HSDA = Dallas

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Race-Ethnicity * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | | Total |
|----------------|------------------------|--------------------|-----------|----------------------|---------|--------|
| | | | Pediatric | Adult/Adol escent | Unknown | |
| Race-Ethnicity | White Non-Hispanic | Count | 18 | 5068 | 5 | 5091 |
| | | % within Adult-Ped | 28.1% | 49.3% | 45.5% | 49.2% |
| | African American | Count | 34 | 3606 | 4 | 3644 |
| | | % within Adult-Ped | 53.1% | 35.1% | 36.4% | 35.2% |
| | Hispanic | Count | 11 | 1486 | 2 | 1499 |
| | | % within Adult-Ped | 17.2% | 14.5% | 18.2% | 14.5% |
| | Asian-Pacific Islander | Count | 1 | 70 | | 71 |
| | | % within Adult-Ped | 1.6% | .7% | | .7% |
| | Am Indian-Alaskan | Count | | 36 | | 36 |
| | | % within Adult-Ped | | .4% | | .3% |
| | Not Specified | Count | | 17 | | 17 |
| | | % within Adult-Ped | | .2% | | .2% |
| Total | | Count | 64 | 10283 | 11 | 10358 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% | 100.0% |

a. HSDA = Dallas

Sex * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | | | Total |
|-------|--------|--------------------|-----------|----------------------|---------|--------|
| | | | Pediatric | Adult/Adol escent | Unknown | |
| Sex | Male | Count | 34 | 8597 | 8 | 8639 |
| | | % within Adult-Ped | 53.1% | 83.6% | 72.7% | 83.4% |
| | Female | Count | 30 | 1686 | 3 | 1719 |
| | | % within Adult-Ped | 46.9% | 16.4% | 27.3% | 16.6% |
| Total | | Count | 64 | 10283 | 11 | 10358 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% | 100.0% |

a. HSDA = Dallas